



Z-REAL Series Mini Split Air Conditioner

50Hz

60Hz



ON-OFF inverter

NATURAL PURIFICATION

Clean core intelligence, creating a pure and clean experience

Professional removal of 99.9% PM2.5


Adopting a new patented IFD high-efficiency dust collection technology, it effectively removes 99.9% of harmful particles entering the lungs indoors, keeping family members away from dirty air, and providing a clean and comfortable refreshing home environment.



A Refreshing And Pleasant Return To The Original Ecology

A good air conditioner is a guarantee of health, and it only takes three steps to reach the Pure Realm

1. Release negative ions, air conditioning high-pressure ionized air
2. Ions collide with airborne particles, causing them to charge
3. Effectively adsorb charged particles and purify air



Self Cleaning, Intelligent Breathing

One click start self-cleaning function, deep cleaning of internal evaporator, to avoid polluted air polluting the room, Allowing family members to enjoy fresh air at all times with guaranteed health protection.

AIR CONDITIONING SERIES

SILENT DESIGN

Low decibel operation helps you sleep better



Silent design

Comprehensive performance optimization, low noise design, creates a quiet space, and helps you sleep better.



Imported ABS materials

Adopting imported high gloss ABS board, the panel has a round color, atmospheric and beautiful appearance, lasting as new, enhancing the home style.



Hidden display screen

Integrated with the panel design, the appearance of the body appears seamlessly integrated and more aesthetically pleasing when turned off.

AIR CONDITIONING SERIES



Anti-cold Air Function

When starting the heating function, the indoor fan starts only when the pipe temperature is high enough, so as to avoid the uncomfortable cold air blowing to the user.




Anti-rust Outdoor Casing

The outdoor unit casing is made from electrolytic zinc steel sheet.



Auto Restart

In case of power off, the microcomputer chip will memorize the running mode, and air con can restart with previous running mode automatically when power resumes.





HEATING MODE

Outlet Temperature Decreased from 20°C to 40°C in 60 "



40°C



AIR CONDITIONING
SERIES

COOLING MODE

Outlet Temperature Decreased from 25°C to 18°C in 30 "





18°C



Z-REAL 50 & 60Hz Mini Split



Power supply	Type		Refrigerant	Efficiency Class	Cooling Capacity				
					9K	12K	18K	24K	30K
220-240V/50Hz	On/Off	Cooling Only	R410A	2.8 EER	●	●	●	●	
			R410A	3.2 EER	●	●	●	●	
		Heat Pump	R410A	2.8 EER	●	●	●	●	
			R410A	3.2 EER	●	●	●	●	
	Inverter	Cooling Only	R410A	2.8 EER	●	●	●	●	
		Heat Pump	R410A	2.8 EER	●	●	●	●	
220-240V/60Hz	On/Off	Cooling Only	R410A	2.8 EER	●	●	●	●	●
	Inverter	Cooling Only	R410A	3.2 EER	●	●	●	●	●



ZERO TECHNOLOGIES CO., LTD

Website: www.zerohvacr.com

E-mail: info@zerohvacr.com

Phone: 86-0756-3353530