




Wall Mounted Air Conditioner Bracket for Split AC



ZB1A/ZB1B




ZB1A/ZB1B



ZB1A



ZB1B



Material: Cold Press Steel

Cover: Powder Coated

Accessories: all connecting and installation bolts



Spelial strengthen structure

Model	Dimension (mm) LxHxWxThickness	Installation screws	Max Loading Capacity(KG)	Max Installation Capacity(KG)	Match Air Conditioner(KG)	Net Weight (KG)	20GP(sets)
ZB1A	380*450*1.5	M8X 80mm: 6pcs M8X25mm: 4pcs M8X16mm: 4pcs	160	40	7K-12K BTU	1.5	7500
ZB1B	450*550*1.5	M8X 80mm: 6pcs M8X25mm: 4pcs M8X16mm: 6pcs	220	55	18K-24K BTU	2.4	5500

AC outdoor unit bracket

Suitable for 7-24K BTU/H



ZB1A



ZB1B






Support Bracket for Air Conditioner


ZB2A/ZB2B



ZB2A/ZB2B



ZB2A



ZB2B

Material: Cold Press Steel/Galvanized Steel

Cover: Powder Coated

Accessories: all connecting and installation bolts



Connecting bolt preinstalled in factory save installation time and labour charge.

Model	Dimension (mm) LxHxWxThickness	Installation screws	Max Loading Capacity(KG)	Max Installation Capacity(KG)	Match Air Conditioner(KG)	Net Weight (KG)	20GP(sets)
ZB2A	350*450*1.5	M8X 80mm: 4pcs M8X25mm: 4pcs	160	40	7K-12K BTU	1.5	8200
ZB2B	450*550*1.5	M8X 80mm: 4pcs M8X25mm: 4pcs	220	55	18K-24K BTU	2.4	6200

AC outdoor unit bracket


Suitable for 7-24K BTU/H



ZB2A



ZB2B





The standard configuration does not come with plastic nuts and shock pads. If you need to add plastic nuts and shock pads, you need to buy them separately. For more information, please contact the salesman.




Outdoor Wall Mounting AC Bracket with Cross Bar


ZB3A/ZB3B



ZB3A/ZB3B



ZB3A



ZB3B

Material: Cold Press Steel/Galvanized Steel

Cover: Powder Coated

Accessories: all connecting and installation bolts



Connecting bolt
preinstalled in factory
save installation time
and labour charge.

Model	Dimension (mm) LxHxWxThickness	Installation screws	Max Loading Capacity(KG)	Max Installation Capacity(KG)	Match Air Conditioner(KG)	Net Weight (KG)	20GP(sets)
ZB3A	700x350x450 x 1.5mm	M8X 80mm: 5pcs M8X30mm: 4pcs	160	40	7K-12K BTU	1.5	5500
ZB3B	850x 450x550 x 1.8mm	M8X 80mm: 6pcs M8X30mm: 4pcs	220	55	18K-24K BTU	2.4	3700

AC outdoor unit bracket

Suitable for 7-24K BTU/H



ZB3A



ZB3B





Split Air Conditioners Mounting Bracket with Cross Bar

ZB4A/ZB4B



TwinLock provides a double strength structure



FastSet continues our tradition of speedy installation



Liquid levels supplied to provide ease of use



Advance crossbar allows for even faster installation




Adjustment bolt provides up to 5 degrees of correction



Specially installed rubber to reduce noise and vibrations

ZB4A/ZB4B



Material: Galvanized Steel

Cover: Powder Coated

Model	Dimension (mm) LxHxWxThickness	Installation screws	Max Loading Capacity(KG)	Max Installation Capacity(KG)	Match Air Conditioner(KG)	Net Weight (KG)	20GP(sets)
ZB4A	800x 350x450 x 1.8mm	M8X 80mm: 5pcs M8X30mm: 4pcs	160	40	7K-12K BTU	1.5	4500
ZB4B	850x 450x550 x 1.8mm	M8X 80mm: 5pcs M8X30mm: 4pcs	220	55	18K-24K BTU	2.4	3600

AC outdoor unit bracket

Suitable for 7-24K BTU/H





ZB4A/ZB4B






Adjustable Mounting Bracket for Rooftop

ZB5



ZB5



Material: Cold Press Steel Galvanized Steel

Cover: Powder Coated

Accessories: all connecting and installation bolts, rubber pads and level liquids.


Model	Dimension (mm) LxHxWxThickness	Installation screws	Max Loading Capacity(KG)	Max Installation Capacity(KG)	Match Air Conditioner(KG)	Net Weight (KG)	20GP(sets)
ZB5	800x560x560x1.5mm	M6x16:4pcs M5x45mm: 4pcs	150	40	24K BTU	1.5	4000

AC outdoor unit bracket

Suitable for 24K BTU/H





ZB5






Air Conditioner Ground Floor Bracket Vibration Damper Spare Parts

ZB6



ZB6



ZB6

Material: PVC

Accessories: all connecting and installation bolts
(Closing caps is optional)

Feature: Shockproof, Weatherproof & UV resistant

The "honeycomb" structure acts as an anti-vibration & humming device for quiet operation.


Model	Dimension (mm) LxHxWxThickness	Installation screws	Max Loading Capacity(KG)	Max Installation Capacity(KG)	Match Air Conditioner(KG)	Net Weight (KG)	20GP(sets)
ZB6	450*95	M6x50mm:4pcs M10x25mm:4pcs Kits:53x30mm:4pcs	160	40	24K BTU	1.5	5500

AC outdoor unit bracket

Suitable for 24K BTU/H





ZB6







Large Outdoor Ground Stand / Bracket for Mini Split


ZB7A/ZB7B



ZB7A/ZB7B



ZB7A



ZB7B

Material: Cold Press Steel


Cover: Powder Coated

Accessories: all connecting and installation bolts

Model	Dimension (mm) LxHxWxThickness	Installation screws	Max Loading Capacity(KG)	Max Installation Capacity(KG)	Match Air Conditioner(KG)	Net Weight (KG)	20GP(sets)
ZB7A	770x450x450x2.0mm	M8x30mm:4pcs M8x20mm:4pcs M8x16mm:4pcs	160	40	7K-12K BTU	1.5	5500
ZB7B	900x500x450x2.0mm	M8x30mm:4pcs M8x20mm:4pcs M8x16mm:4pcs	220	55	18K-24K BTU	2.4	3700

AC outdoor unit bracket

Suitable for 7-24K BTU/H





ZERO TECHNOLOGIES CO., LTD

website: www.zerohvacr.com

E-mail: info@zerohvacr.com

Phone: 86-0756-3353530